

Form Approved
OMB No. 0704-0188

Form Approved
OMB No. 0704-0188

Form Approved
OMB No. 0704-0188

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

QUALITY ASSURANCE PROVISIONS

22 January, 2001

NSN: 1560-00-477-0771
P/N: (97499) 204-030-768-13
NOMEN: FAIRING ASSY.

Articles to be furnished hereunder shall be manufactured, tested and inspected in accordance with drawing number (97499) 204-030-768 Rev. "L" or latest revision and all details and specifications referenced therein.

I. Quality/Inspection Requirements

- A. MIL-I-45208 or ISO 9000 equivalent applies:
- B. Production Lot Testing Applies

II. Supplemental Requirements

A. Additionally, para. 3.1-3.5, 5.1-5.2, 6.1-6.2 of MIL-Q-9858 or ISO 9000 equivalent apply.

B. The contractor shall identify on the process/operation sheets all manufacturing Sources performing processes/operations outside of their facilities. These sheets shall not be revised or altered after the successful completion of First Article and/or Production Lot Testing without approval from the Engineering Support Activity (ESA), via the PCO.

C. The Inspection Method Sheets, which list the characteristics of each item, produced under the contract shall have serial number traceability to the raw material, casting, or forging. In addition, the contractor is responsible for providing completed inspection method sheets showing the actual dimensions taken

D. Markings should be in accordance with MIL-STD-130 Rev. "J" paragraph 5.3.3(a), (b), (c), and (g). Method and location shall be in accordance with the drawing.

III. Mandatory Inspection Requirements

During production, mandatory inspection is required to be accomplished by the contractor, as follows:

A. Level of Inspection (LOI):

- 1) Critical Characteristics: 100% inspection shall apply.
- 2) Major and Minor Characteristics - LOI shall be in accordance with a sampling plan acceptable to the QAR.

B. Critical Characteristics:

DRAWING (97499)204-030-768-13

Critical Characteristics:

Shall be defined as below, unless defined by the Prime Contractor (97499):

1. Diametrical and liner dimensions having a total tolerance of 0.001 or less.
2. Surface finishes having a 16 value or less.
3. Any geometric feature control requirement with a total tolerance range of 0.002 or less.
4. Angular tolerances with a total range less than (1) one degree.
5. Threads specified to class (3) three or greater.

C. Major and Minor Characteristics:

- 1) Shall be defined by the contractor subject to QAR concurrence, unless defined on applicable drawings and associated specifications.

IV. Unless expressly provided for elsewhere in this Clause, equipment such as fixtures, jigs, dies, patterns, templates, Mylar's, special tooling, test equipment, or any other manufacturing aid required for the manufacture and/or testing of the subject items will not be provided by the Government or any other source and is the sole responsibility of the Government or any other source and is the sole responsibility of the contractor. The foregoing applies notwithstanding any reference to such equipment or the furnishing thereof that may be contained in any drawing